

16% Layer

Complete balanced ration for laying hens Available in pellet and crumbles

 Crude Protein
 (min) 16.00%

 Lysine
 (min) 0.85%

 Methionine
 (min) 3.00%

 Crude Fat
 (min) 3.00%

 Crude Fiber
 (max) 4.00%


 Calcium
 (min/max) 3.5-4.5%

 Phosphorus
 (min) 0.60%

18% Layer All Vegetable

Complete balanced ration for laying hens Available in pellet, crumble, mash Includes prebiotics & probiotics

> Crude Protein (min) 18.00% Lysine (min) 1.00% Methionine (min) 0.40% (min) 4.00% Crude Fat Crude Fiber (max) 4.0-% Calcium (min/max) 3.5-4.5% (min) 0.60% Phosphorus Phytase (min) 284 FTU/lb





18% Hatch to Hen Crumble

Starter/Grower ration for replacement pullets Medicated and non-medicated formulas

> With Amprolium 0.0125% Crude Protein (min) 18.00% (min) 1.00% Lysine Methionine (min) 0.40% Crude Fat (min) 3.00% Crude Fiber (max) 5.5% Calcium (min/max) 0.9-1.4% (min) 0.70% **Phosphorus**

24% Poultry Starter

Starter crumble for meat chicks and waterfowl Feed day 1 till 4 weeks

 Crude Protein
 (min) 24.00%

 Lysine
 (min) 1.30%

 Methionine
 (min) 0.50%

 Crude Fat
 (min) 4.00%

 Crude Fiber
 (max) 5.00%

 Calcium
 (min/max) 1.0-1.5%

 Phosphorus
 (min) 0.90%



20% Broiler Grower/Finisher

Non medicated crumbles for meat chickens Feed 4 weeks till finish

Crude Protein (min) 20.00%
Lysine (min) 1.10%
Methionine (min) 0.40%
Crude Fat (min) 3.00%
Crude Fiber (max) 5.00%
Calcium (min/max) 0.8-1.3%
Phosphorus (min) 0.70%



27% Turkey Starter

Non-medicated crumble Feed day 1 to 6 weeks

> Crude Protein (min) 27.00% (min) 2.00% Lysine Methionine (min) 0.70% Crude Fat (min) 4.00% Crude Fiber (max) 5.00% Calcium (min/max) 0.8-1.3% Phosphorus (min) 0.90% Phytase (min) 284 FTU/lb

22% Turkey Grower

Non-medicated pellet Feed 6 weeks till finish

Crude Protein (min) 22.00%
Lysine (min) 1.20%
Methionine (min) 0.50%
Crude Fat (min) 5.00%
Crude Fiber (max) 4.00%
Calcium (min/max) 1.2-1.7%
Phosphorus (min) 1.00%





27% Gamebird Starter

Medicated crumble Feed day 1 to 4 weeks

> med. Amprolium 0.0175% (min) 27.00% Crude Protein (min) 1.80% Lysine Methionine (min) 0.70% Crude Fat (min) 4.00% Crude Fiber (max) 5.00% Calcium (min/max) 0.5-1.0% (min) 0.80% Phosphorus (min) 284 FTU/lb Phytase

21% Gamebird Grower

Medicated crumble Feed 4 weeks to 12 weeks

> med. Amprolium 0.0175% Crude Protein (min) 21.00% (min) 1.10% Lysine Methionine (min) 0.40% Crude Fat (min) 3.50% Crude Fiber (max) 5.00% Calcium (min/max) 0.4-0.9% Phosphorus (min) 0.70% Phytase (min) 284 FTU/lb





20% Duck/Goose

Short pellet for all classes of waterfowl

 Crude Protein
 (min) 20.00%

 Lysine
 (min) 1.10%

 Methionine
 (min) 0.50%

 Crude Fat
 (min) 3.00%

 Crude Fiber
 (max) 4.00%

 Calcium
 (min/max) 0.3-0.8%

 Phosphorus
 (min) 0.60%

16% Duck/Goose

Short pellet for all classes of waterfowl

 Crude Protein
 (min) 16.00%

 Lysine
 (min) 0.80%

 Methionine
 (min) 0.30%

 Crude Fat
 (min) 3.00%

 Crude Fiber
 (max) 6.50%

 Calcium
 (min/max) 0.3-0.8%

 Phosphorus
 (min) 0.50%



Complete Scratch

A complete feed with pellets, whole grains, oyster shells and grit

Crude Protein (min) 16.0 %
Lysine (min) 0.9 %
Methionine (min) 0.3 %
Crude Fat (min) 3.5 %
Crude Fiber (max) 4.0%

Calcium (min/max) 3.0-4.0 %

Phosphorus (min) 0.5 %

Scratch

Whole Grain mix for all types of poultry

Crude Protein (min) 8.50% Crude Fat (min) 1.50% Crude Fiber (max) 4.00%







73180 Fulton PO Box 918 • Armada, MI 48005 (586) 784-5911 • fax (586) 784-5918 armadagrain.com